



Detection of Synthetic Colours in Sweet Confectioneries by UV-Visible Spectroscopy

Malavika OM and Haritha Jayachandran*

Department of Forensic Science, MES Kalladi College, Mannarkkad, 678583, India

*Corresponding author: Haritha Jayachandran, Department of Forensic Science, MES Kalladi College, Mannarkkad, 678583, India, Tel: 9663046891; Email: harithajn@gmail.com

Received Date: January 08, 2025; Published Date: January 29, 2025

Abstract

Food adulteration, particularly through the addition of synthetic colours or any other harmful substances, causes significant health risks globally. Synthetic colours, used to enhance the visual appearance of food products, can be potentially harmful if consumed above permissible limits. This study investigates the prevalence of synthetic colours in sweet confectioneries through UV-visible spectroscopy. Samples collected from rural areas were analyzed to detect both permitted and non-permitted colours including tartrazine, amaranth, malachite green, orange G, and rhodamine B. Results revealed that out of 30 samples tested, 6 contained synthetic colours, with 5 samples showing non-permitted colours and 1 sample with permitted colours. The study underscores the importance of rigorous monitoring and regulation by authorities such as the Food Safety and Standards Authority of India (FSSAI) to safeguard public health against the adverse effects of food adulteration. Understanding the composition of synthetic colours in confectioneries is crucial for ensuring food safety and consumer protection.

Keywords: Sweet Confectioneries; UV-Visible Spectroscopy; Tartrazine; Amaranth; Rhodamine B; FSSAI

Abbreviations

FSSAI: Food Safety and Standards Authority of India; FCF: For Coloring Food; ADI: Acceptable Daily Intake; ADHD: Attention Deficit Hyper Activity Disorder.

Introduction

Food additives are the substances which are added to the food by the manufactures to improve appearance, texture, flavour and keeping quality. Food adulteration is defined as addition of undesirable substances. Which may be added naturally, accidentally or deliberately for the removal of certain constituents. Over time, various food additives have been created for the demands of large-scale food production. These additives are crucial for ensuring the safety and freshness of processed food as it travels from factories to consumers [1]. Even if the adulterant is not harmful, it

reduces the nutritional value of food. Some of the adulterants are also identified as carcinogenic or lethal when exposed to them for a longer period.

A dye is pigment or a substance which is added to food to get colour. Also, we can call it a colour additive. The colours that are added to the food can be natural colours or synthetic colours (permitted and non-permitted). Natural food colours come from sources such as vegetables and fruits. These colours are permitted, and they do not impart any toxic effects to the body. Synthetic food colours are regulated and authorized for use in food additives in many countries. Permitted colours are defined as colours that are permitted under The Prevention of Food Adulteration Act. The permitted colours according to FSSAI are tartrazine, sunset yellow FCF, brilliant blue and colours such as metanil yellow, rhodamine B, orange G, amaranth, malachite green, and orange II are non-permitted colours. The maximum

amount of permitted synthetic colours doesn't exceed 100 parts per million, according to FSSAI regulation [2]. The Food Safety and Standards Authority of India (FSSAI) was established in 2006 to consolidate various food safety acts and create standards for food articles. Its primary goal is to ensure the availability of safe food for human consumption through regulations on manufacture, storage, distribution, sale, and import [3].

Recently some states in India issued to ban the use of certain colouring agents in cotton candy and even in Gopi Manchurian. The ban was imposed in Goa, Tamil Nadu and Karnataka. Recently Himachal Pradesh had instituted one year ban for the production and sale of cotton candy after the detection of Rhodamine B. The survey by the Public Health Department showed that the presence of harmful chemicals in food samples, which is unsafe for consumption may lead to acute toxicity and it is carcinogenic in nature. Exposure to this chemical causes damage and irritation to the respiratory tract. Rhodamine B is the chemical that is present in popular street food items such as cotton candy & Gopi Manchurian. FSSAI specially banned the Rhodamine B in food products, any use of this chemical in the processing, preparation and distribution is punishable. Penalties include the cancellation of commercial licence and fine not less than ₹ 10 lakh and minimum 7 years jail term, extending jail imprisonment. The negative effects include attention deficit hyperactivity disorder, along with potential carcinogenic properties, immune-related issues, respiratory problems, and gastrointestinal disturbances [4].

There are various types of colourants that have either been banned or are closely monitored by food safety regulators. The use of artificial colourants has become more common in today's world, raising concerns about the need for toxicological studies. The acceptable daily intake (ADI) of colorants helps determine the safe levels for colouring foods. The size and absorption rate of colorants play a significant role in how toxic they are; larger molecules are less toxic, while smaller ones are more easily absorbed and can be harmful. Binding smaller molecules to carrier molecules can help reduce their absorption. Adverse health effects associated with colorants include itching, severe allergic reactions, and various toxicities. The relationship between colour additives and consumer safety is complex, highlighting the importance of collaboration between toxicologists and food scientists for the future regulation of colourants. These food colours may affect food safety and cause increased ADHD (Attention deficit hyper activity disorder). Most of these have carcinogenic properties which includes orange G which causes brain tumour. And long-term usage of these synthetic colours may lead to immunity related problems. Also, it causes irritation and rashes. And these synthetic colours destroy the nutrients part of food by the chemical constituents present in it. Some

of the colours upset the stomach and long-term usage causes breathing problems. Forensic analysis of synthetic colours in confectioneries helps regulatory agencies ensure compliance with food safety regulations. Detecting unauthorized or excessive use of synthetic colours can lead to enforcement actions or recalls to protect public health.

Materials and Methods

Reagents and Chemicals

- Distilled water
- Acetone
- And 5 standard synthetic colours
- Tartrazine (85% Pure), Amaranth (85% Pure), Malachite green (90% Pure), Orange G (88% Pure), Rhodamine B (80% Pure), have been purchased from Vidya Lab equipment and Chemicals, Kozhikode.

Laboratory Equipments

- Beaker
- Glass rod

Instrumentation

UV-visible spectrophotometer is used for the detection of synthetic colours. A uv-visible spectrophotometer uses Beer-Lambert's law to measure the absorption of UV light by a sample, allowing for the determination of concentration and the identification of substances based on their distinctive absorption patterns. It is also called absorption spectroscopy. It is a cost effective, simple and non-destructive technique, so that allows the sample to be used again, for further analysis. Here, it compares the sample with a standard to measure the amount of discrete ultraviolet and visible light absorbed through a particular sample using Beer-Lambert's law.



Figure 1: UV- visible spectrophotometer.

Sample Collection

In this present study, all 30 samples (consisting of candies, cotton candy, chalk candy and pudding candies) were collected from the different shops including both rural and

urban area. Samples were collected from different locations, to check the adulteration in sweet confectioneries by synthetic colours, mainly focusing on non-permitted colours. Standards were tested for comparison. The standard colours collected are, Rhodamine B, Amaranth, Malachite green, Orange G and Tartrazine. The study mainly focuses on the coloured candies suspected for synthetic colours.

Method

First step is the dilution of the sample. A small portion of the candy is dissolved in 25 ml of distilled water within a beaker. This dilution process ensures that the candy's components are dispersed evenly in the solution, facilitating uniform absorption measurements later on. Stirring the mixture using glass rod, until a consistent colour appears in the solution ensures that the sample is adequately prepared for spectroscopic analysis. Also, take a pinch of each colour, such as, tartrazine, rhodamine B, amaranth, malachite green and orange G. And makeup to 100 ml in a distilled water.

After sample solution prepared, attention turns to the UV-visible spectrophotometer, a sophisticated instrument designed to measure how substances absorb light in the UV and visible spectra. The setup process begins with powering on the spectrophotometer and allowing it to initialize, indicated by a reassuring green tick mark. Next, the wavelength of light used for analysis is meticulously chosen using the instrument's monochromator, typically within the range of 200 to 800 nm. This selection is crucial as different substances absorb light at specific wavelengths, allowing to target and quantify particular components

present in the candy. To ensure accuracy in measurement, baseline measurements are conducted using cuvettes filled with distilled water. This initial measurement establishes a reference point against which subsequent samples are compared. Once the baseline is confirmed, a cuvette containing the candy sample solution is inserted into the spectrophotometer's sample compartment. Initiating the measurement captures the absorbance spectrum of the candy sample, recording how much light is absorbed at the chosen wavelength. This data is critical for understanding the concentration of substances present in the candy.


After completing the measurement, the spectrophotometer's software generates a calibration curve, between absorbance and wave length. The data, typically exported in spreadsheet format (export > file location > file name >. Xls format > save). Clean the cuvette with acetone, for the preparation of next samples.

Results and Discussion


30 different samples suspected of containing synthetic colours were collected from various rural areas where unauthorized food confectioneries are more likely to be found. Out of the 30 samples analysed, 6 contained synthetic colours, one contained permitted colour and the remaining 5 containing non-permitted colours.

Tartrazine

Only one sample was found to contain tartrazine when tested using a UV-visible spectrophotometer.



Tartrazine standard




Yellow chalk candy


Orange G

5 samples containing orange colour were collected. Some were branded while others were local products with no

labelling. Out of which only one sample showed the presence of synthetic colour.



Orange G standard




Orange jeera candy


Rhodamine B

11 samples, which have the combinations of red, rose, and purple colours, were suspected to contain rhodamine B. Out


of which, only 2 samples were detected to have its presence when run on the UV-visible spectrophotometer.



Rhodamine B standard



Jelly red




Rose chalk candy


Amaranth

11 samples, which have combinations of red, rose, and purple


colours, were suspected to contain amaranth. Only 2 samples were detected the presence of amaranth.



Amaranth standard



Cotton candy



Multicolour lollipop

The study was focused on a simple method of detecting the synthetic colours only by dissolving the sample using distilled water as the solvent. And the prepared solution is run on a UV-visible spectrophotometer. All standard colours are run on a UV-visible spectrophotometer, and get a calibration curve. Save the data after measurement. Different peaks are identified in each sample. The standard peaks are,

- Tartrazine - 425 nm
- Orange B - 478.05 nm
- Rhodamine B- 553.95 nm
- Amaranth - 520.59 nm

Synthetic colours were found in 6 samples. Out of which 5 contained non-permitted colours and the remaining one detected the presence of permitted colours. It was noted that tartrazine is a permitted colour, could have adverse effects on the body with repeated use. Interestingly, non-permitted colours were mostly found in non-branded samples, some of which lacked proper labelling. Orange G was detected on jeera candy and amaranth was detected in a multi-colour candy, and it did not contain any label on outside of the sample.

Recently, the sale and manufacturing of rose chalk candy was banned in Kerala. Chalk candy is one of the traditional candies in south India. Mainly, the sale of this chalk candy was found during the traditional festivals. In this rose-coloured candy, the presence of rhodamine B was detected. Rhodamine was also detected in non-branded jelly sample. The yellow chalk candy was also found to contain tartrazine. A branded cotton candy was found to contain the non-permitted colour amaranth without any mention on the label, despite listing only sugar and flavour extract as ingredients. Although labelled as allergen-free, amaranth can be carcinogenic and trigger allergic responses. This experiment focused on samples primarily from rural areas rather than urban areas. The range of areas from which samples were collected was limited. Therefore, collecting samples from a wider range of areas, including both rural and urban, would provide more insight into the presence of synthetic colours, particularly non-permitted colours.

This is the evaluation of 30 samples using a pie chart dividing in to 3 quadrants. 3% of the samples had colours that fell

within permitted synthetic colours. And 17% of the samples had colours that were outside the permitted specifications, that is non-permitted colours 80% of the samples resulted in negative outcome, because it didn't detect any of those 5 standard colours selected here.

Conclusion

Numerous artificial food colours are utilized in processed foods. These synthetic colours are preferred over natural ones due to their consistency and suitability for a wide range of processed foods. This study was an attempt to identify the presence of synthetic colours, mainly non-permitted colours by using a simple method. The samples are diluted in distilled water and run on a UV-visible spectrophotometer. The summary of the above analysis shows that overall 30 samples were analysed. The outcome showed that 6 samples indicated the presence of artificial colours, out of which only one sample contained permitted colour and the remaining are non-permitted colours. So, it is essential to systematically monitor the presence of harmful and unauthorized colours within the country, while also being cautious of potential adulteration in locally sourced foods that could pose serious health risks, which include irritation, allergies, and

carcinogenic properties. Implementing and enforcing strict regulations is crucial to mitigating the risks associated with the use of unauthorized colours and exceeding permissible levels of approved colours.

References

1. Hosseini S, Sadeghi M, Ghahferkhi BB, Younesian M, Khaniki GJ, et al. (2013) Evaluation of Food Color Consumption and Determining Color Type by Thin Layer Chromatography. *American Journal of Applied Sciences* 10(2): 172-178.
2. Rachana SB, Pagar RR, Kale MV, Burad SP, Bhusari AR, et al. (2020) Extraction qualitative and quantitative determination of non-permitted synthetic food colour in selected food products, *Journal of Seybold Report* 15(8).
3. Reddy AA, Cadman T, Aanchal J, Sneha AV (2017) Food Safety and Standards in India.
4. Gautam N (2016) Food Colorants and their Toxicology: An Overview. *Sunsari Technical College Journal* 2(1): 69-75.