

## An Attempt to Eradicate Alcohol Dependency from Adult Men in Service Privately managed Pharmaceutical Institutions in India

**Rahul Hajare\***

Indian Council of Medical Research, India

**\*Corresponding author:** Dr. Rahul Hajare Ph.D., M.Pharm. Indian Council of Medical Research New Delhi, India, Email Id: rahulhajare@rediffmail.com

**Received Date:** April 10, 2018; **Published Date:** April 30, 2018

### Abstract

Perception of alcohol use among well –educated employee of pharmacy institution before and after the office hour in Pune University, India. The high risk of experiencing domestic violence among pharmacy Institutions in India who located in slum communities underscores the need for effective, skilled, and standard of behaviour primary prevention. To inform such domestic violence primary prevention strategies for this population, author herein aimed to identify correlates of domestic violence experience in early stage men. Utilizing a cross-sectional design, potential correlates of domestic violence experience were explored among a slums-clustered associated random sample of 10 recently-joined men residing in Pune University, India. These correlates suggest strategies that could be incorporated into future domestic violence primary prevention interventions for this vulnerable population.

**Keywords:** Alcohol; Adult men; Pharmaceutical; Pupil

**Abbreviations:** IPV: Intimate Partner Violence; PTSD: Posttraumatic Stress Disorder; HIO: Head of Organization

### Statement of Problem

The new paper builds on advances described in two previous publications already published this year. In the first of these papers, author has developed a pattern of binding required to enable health consequence to assume stable forms similar to the backbones of profession. In the second, they worked out the conditions required to allow their jobs to be appended to dignity during by college tenure and long way to build the true principal of institutions which lead to true health. [1,2] “As always in biology, shape determines function,” has explained. In the new study, author introduces an

alcohol dependency which ten folds into a helical structure that mimics surface features of the breakdown of health principal, and whose precise shape can be altered in a unparallel fashion by the attachment of various substituent’s diseases [3,4]. This enables the experimenter to imitate in detail the shape of natural body, in particular the position of symmetry of body. The imitation is so convincing that it acts as a decoy for alcohol dependency, including the dreaded infection, which readily bind to body and are essentially activated. The backbones of this article are referred to as ‘speak up’ because; they adopt predictable shapes and can be easily modified in various ways. The new study shows that the undertaking from adult men form institutions can inhibit the activities of chain alcohol dependency [4,5], including the ‘regular malpractices’ used by the head of organization (HIO) to insert its own principal into that of its host.

The successful demonstration of the severe alcohol dependency mimic might lead to a new approach to the unrelated defence of self-esteem and other retro social practises.

## Introduction

"Alcohol dependency is assuredly no advantage [6,7], but it is nothing to be ashamed of, no vice, degradation, it cannot be classified as an illness; It has consider it to be a variation of the in order life function produced by a certain arrest of alcohol development. Many highly respectable individuals of institutions and modern times have been alcohol dependence, several of the greatest. It is a great injustice to persecute alcohol dependency as a crime, and cruelty too.... "If your son is unhappy, neurotic, torn by conflicts, inhibited in his social life, analysis may bring him harmony, peace of mind, full efficiency whether he remains an alcohol or gets changed. Indian men who have experienced alcohol dependency are at greater risk for physical and mental health problems including posttraumatic stress disorder and alcohol dependency chain. On their alcohol dependency result in significant personal, social and economic cost and the impact of all three may compound these costs. Researcher has reported that men with these experiences are more difficult to treat; many do not access treatment and those who do, frequently do not stay because of difficulty maintaining helping relationships. Unlike men, if a man is alcohol attracted to another man, it could never say it, a study has found. Most of them are comfortable with the truth that alcohol to alcohol dependence [8,9].

Turns out, that may not be the case. A team of researchers from laboratory aimed to find out how people identified their alcohol dependency. As part of the study, a group of volunteers including men who occasionally prefer and who chain alcohol dependency were asked to watch a series of porn videos. The team wanted to test what turned them on and what did not. The detailed research aimed to explore if society influences the way people viewed their alcohol drugs. It warned that most humans struggled with the idea of alcohol, especially when it comes to men. As part of the research, both male and men volunteers were asked to watch porn involving alcohol. A team of experts measured how much their skin toned to find out how alcohol aroused they were while watching the porn at the time alcohol drugs. It was observed that a man's when hands are shaking or trembling, this is typically a tremor of the hands. It has reported neurological problems can **cause tremors**, but they can also be **caused** by metabolic problems and

toxins towards alcohol repetition that affect the brain and nervous system. Shaking hands and tremor can also be a side effect of different medications cannot ignore. The effect of alcohol and repetition including high rate of alcohol consumption has been encoding on both men and women.

Similarly men's pupils dilated when watching mobile, regardless of how they identified alcohol abuse. A situational environmental does not necessarily have to be under the influence of alcohol or drugs but it is the mind that longer chain dependency of alcohol and prone to such heinous acts and other unpleasantness upon another individual. Human aggression can be direct while alcohol and indirect aggression while post alcohol, whilst the first is characterized by physical to verbal behaviour intended to cause harm to someone, the second one is characterized by a behaviour intended to harm social relations of an individual or a group [10]. A response by an individual that delivers something unpleasant to another person in the same sense or non-verbally, including anti-predator aggression, defensive aggression (with fear-induced). In sum, the gender differences in alcohol dependency is very complicated- behavioural phenomena, because it is related to neuropsychological personality-impairment, in addition, to it is psycho biosocial factors on one hand, and to the assessing instruments implemented by clinicians /researchers and participants, on the other hand.

Result will submit to Managing Editor Journal of Anaesthesia & Pain Medicine. Given the complex nature of education, in addition to the intricacies of group and individual differences in academic achievement, more research is needed to illuminate the gender differences in alcohol dependency according to the development of cognitive processes and brain function work out. It can be look forward to investigate gender differences from multidimensional perspective for good assessing, understanding and intervention. Men who have experienced intimate partner violence (IPV) are at greater risk for physical and mental health problems including posttraumatic stress disorder and alcohol dependency chain. On their own IPV, PTSD and alcohol dependency result in significant personal, social and economic cost and the impact of all three may compound these costs differ. Researcher has reported that men with these experiences are more difficult to treat; many do not access treatment, frequently do not stay because of difficulty maintaining test sheet. However, these men's perspective has not been previously studied

closely and it has seen hesitation due to profession dignity. This study is to describe the experience of seeking help for alcohol dependency by men in service with PTSD and a history of IPV in the context in which it occurs routinely.

An inter subjective ethnographic study using hermeneutic dialogue was utilized during participant observation who have spoken about the actual repetition of alcohol dependency week to week and month to month whose who believe the some level of true principal of health, in- depth interviews and focus groups. An ecological framework was utilized to focus on the interaction between the counsellor and the staff to understand this relationships and the context in which it occurs. The men in this study were very active help seekers but not occasionally. They encountered many gaps in continuity of care including discharge because of relapse. Although the treatment centre was a bus stop, small group people in common place, and family gate together review, medical store and men left the health centre without treatment for their trauma needs and many without any referral to address these outstanding issues. Men with alcohol dependence and PTSD with a history of IPV want help however the health and social services do not always recognize their calls for help or their symptoms of distress. Recommendations are made for treatment centre to become trauma- informed that would help this recognition and home yoga at home.

### Recommendation

Mobile phone should be kept in the office. Teachers are not allowed to give physical punishment to the students. If seen strict action will be taken. " Performed such other duties as may be prescribed \*. During assembly nobody will be allowed to enter the school, the teacher should stand behind the respective classes. Mobile phone should be kept in the office while signing the attendance register and collect it while leaving the school. Necessary to verify a burnout predictive index as well as teachers' desire to leave their jobs. No personal work is allowed during school time. Fourth Saturday of the month is holiday. P.F will be deducted from teacher salary i-e compulsory. Date, Signature of Teacher on undertaking letter.

### Conflicts of Interest

The author declares that there were no conflicts of interest to report.

### Research Funding

This study was purely unfunded and was conducted as an empirical study for use in cloud services and the development of teachers for the purpose of the health management and the improvement of regional medical care.

### Acknowledgment

This study has been guided by under supervision and guidance of Renowned Laboratory Scientist Respected Dr. Ramesh Paranjape' Retd. Director and Scientist 'G' National AIDS Research Institute India. I express my sincere gratitude towards Respected Sir' for motivation and being great knowledge source for this research. This work was supported by Award Number R.S.S.M./447/2017 Rastriya Samta Swatantra Manch. The content is solely the responsibility of the authors and does not necessarily represent the official views of the Rastriya Samta Swatantra Manch. Thanks go to grammar teacher who reviewed the manuscript grammar.

### References

1. Paranjape R, Hajare R (2018) Common Warts Discharge among Married Male May Be A Critical Determinant of Immune Dysfunction Direct Capture Skin Cancer. *Clin Exp Dermatol Ther*, CEDT-147. DOI:10.29011/2575-8268/S1-047
2. Kalokhe AS, Iyer SR, Kolhe AR, Dhayarkar S, Paranjape A, et al. (2018) Correlates of domestic violence experience among recently-married women residing in slums in Pune, India. *PLoS ONE* 13(4): e0195152.
3. Risbud AR, Mehendale SM, Basu S, Kulkarni SS, Walimbe A, et al. (2002) "Prevalence and Incidence of Hepatitis B virus infection in STD clinic attendees in Pune, India." *Sex Transm Infect* 78(3): 169-173.
4. Brahme RG, Sahay S, Malhotra-Kohli R, Divekar AD, Gangakhedkar RR, et al. (2005) High risk behaviour of men attending STD clinic in Pune India. *AIDS Care* 17(3): 377-385.
5. Mawar N, Paranjape RS (2002) "Live and Let live: Acceptance of People living with HIV/AIDS in an Era where Stigma and Discrimination persist" *ICMR Bulletin* 32: 105-114.

6. Hajare R (2018) "Safe Sex: The True Principal Health?" Medical Research and Clinical Case Reports 1(2): 58-60.
7. Hajare R (2018) The bio safety against privately managed pharmacy institution in Savitribai Phule Pune University is not such a simple shot. Int J Nep & Uro Dis 2(2): 06-07.
8. Hajare R (2018) "The True Principal Health and Investigation of The High Burnout Stages Experienced by Professors Working in Pharmacy Institutions Pune University and Related Factors: an Important Study". Medical Research and Clinical Case Reports 1(2): 66-72.
9. Hajare R (2017) Self-Study of Transference and Health Effects on the Senior Citizens Who Not Having Children, Measures Need to be Put in Place to Fill the Care Gap in Pune Areas Suburban Hospitals and Nursing Homes: An Exploratory Report. J Pharma Pharma Sci: 135.
10. Hajare R (2017) "Live and Let live: Acceptance of Learning Disability of People Living with Co-Educational Pharmaceutical Institute Self-Financed and Privately Managed Remote Areas in India where Stigma and Discrimination Persist". Current Opinions in Neurological Science 1(6): 311-313.